



# CREATE YOUR STYLE MINI PROJECTS FALL & HALLOWEEN





#### SWAROVSKI ELEMENTS

Product Group	Article No.	Amount	Size	Color	Color Code
Beads	5328	94 pcs.	2.5 mm	Olivine	228
Beads	5328	2 pcs.	5 mm	Khaki	550
Beads	5328	2 pcs.	4 mm	Khaki	550
Beads	5005	2 pcs.	16 mm	Crystal Red Magma	001 REDM

Supplies: 2 Silver head pins 2 Silver ear wires 2 feet 24 gauge wire

# <u>Instructions</u>

STEP 1: To create the small leaf, cut a 4" piece of wire and string 10 XILION Beads art. 5328 2.5 mm Olivine.

STEP 2: Bend the wire in the shape of a horseshoe, keeping the Beads in the center.

STEP 3: Overlap the ends of the wire and create a wire wrapped loop using both tails.

STEP 4: Repeat steps 1-3 for a second small leaf.

STEP 5: To create the large leaf, repeat steps 1 – 3, except cut a 5" piece of wire and string on 14 XILION Beads (5328)

2.5 mm Olivine). Repeat for a second large leaf.

STEP 6: To create the curly vines, cut a 6" piece of wire and make a small 2 mm closed loop on one end and flatten the

loop (this will prevent Beads from falling off wire).

STEP 7: String 23 XILION Beads art. 5328 2.5 mm Olivine onto the wire.



# "Beaded Pumpkin Earrings", page 2

- STEP 8: Curl the beaded wire around a skewer, chop stick or other thin stick, keeping the Beads pushed toward the looped end.
- STEP 9: When you reach the end of the beaded part of the wire, wrap a loop with the remaining wire. Repeat for a second vine.
- STEP 10: To assemble the earring, slide one Swarovski Bead art. 5005 16 mm Crystal Red Magma onto a headpin.
- STEP 11: Slide the large leaf onto the headpin and then add the small leaf using the loops formed.
- STEP 12: Add one XILION Bead 5 mm Khaki, one of the curly vines (through the loop made) and one XILION Bead 4 mm Khaki.
- STEP 13: Wire wrap a loop on the end of the headpin and attach the ear wire to the loop.
- STEP 14: Repeat steps 10 13 for second earring.



#### SWAROVSKI ELEMENTS

Pendants Flat Backs No Hotfix	6621 2797	1 pc. 5 pcs.	28 mm 8 x 4 mm	Crystal Copper Olivine	001 COP 228

24" Green silk cord Supplies:

1 Silver toggle clasp

Acetone

2 silver cord ends Beeswax Q-tips

2 silver 4 mm jump rings **Toothpicks** 

Two-part epoxy glue

(10 minute or longer curing time)

# Instructions

STEP 1: Mix 2 part epoxy glue as instructed on package.

STEP 2: Using a toothpick, place 5 small dots of mixed glue evenly spaced onto the top of Swarovski Pendant.

STEP 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up one of the Swarovski Flat Backs using the tip of the beeswax toothpick and place on one of the glue dots. Repeat for the other 4 Flat Backs.

STEP 4: Slide silk cord through hole in Pendant from SWAROVSKI ELEMENTS assortment so the cord is even on both ends.

STEP 5: Make a loop with both cords near the hole of the Pendant and slide the two free ends through it. Pull the ends tight to form a knot.

STEP 6: Attach the cord ends to each free end using flat nose pliers.

STEP 7: Open the two 4mm jump rings using pliers and attach one to each cord end.

STEP 8: Attach one part of the toggle clasp to each end and close the jump rings.

STEP 9: Allow glue to dry for 24 hours. Clean any glue residue with a Q-tip dipped in acetone.





PUMPKIN PENDANT EARRINGS

#### Materials

#### SWAROVSKI ELEMENTS

Product Group	Article No.	Amount	Size	Color	Color Code
Pendants	6621	2 pcs.	18 mm	Crystal Copper	001 COP
Flat Backs No Hotfix	2797	6 pcs.	8 x 4 mm	Olivine	228

Supplies: 2 silver 6 mm jump rings

Beeswax

Acetone

2 silver 4 mm jump rings

Toothpicks

Q-tips

2 silver ear wires Two-part epoxy glue

(10 minute or longer curing time)

## <u>Instructions</u>

STEP 1: Mix 2 part epoxy glue as instructed on package.

STEP 2: Using a toothpick, place 3 small dots of mixed glue evenly spaced onto the top of Swarovski Pendant.

Apply a small amount of beeswax to the end of a clean toothpick. Pick up one of the Flat Backs No Hotfix from the SWAROVSKI LEMENTS assortment using the tip of the beeswax toothpick and place onto one of the

glue dots. Repeat for the other 2 Flat Backs.

STEP 4: Repeat for the second Pendant.

STEP 5: Allow glue to dry for recommended time on glue package. Clean any glue residue with a Q-tip dipped in

acetone.

STEP 6: Open both of the 6 mm jump rings using flat nose pliers.

STEP 7: Attach one 6 mm jump ring to the hole in the top of the Swarovski Pendant and then to the closed 4 mm jump

ring. Close the 6 mm jump ring to secure.

STEP 8: Open the 4 mm jump ring and attach to the ear wire.

STEP 9: Repeat Steps 7 – 8 for second earring.





MINI PROJECT FALL & HALLOWEEN JACK-O-LANTERN PENDANT NECKLACE

#### Materials

# SWAROVSKI ELEMENTS

Product Group	Article No.	Amount	Size	Color	Color Code
Pendants	6621	2 pcs.	18 mm	Crystal Copper	001 COP
Flat Backs No Hotfix	2797	6 pcs.	8 x 4 mm	Olivine	228

Supplies:

24" Black Silk Cord

Beeswax

Acetone

1x 6 mm silver or gun metal jump ring

Toothpicks

Q-tips

1 silver or gun metal jewelry tag

Two-part epoxy glue

(10 minute or longer curing time)

# Instructions

STEP 1: Mix 2 part epoxy glue as instructed on package.

STEP 2: Using a toothpick, place 5 small dots of mixed glue alternately placed near the bottom of one of the Swarovski

Flat Backs art. 2035 30 mm.

Apply a small amount of beeswax to the end of a clean toothpick. Pick up one of the Flat Backs art. 2400 STEP 3: using the tip of the beeswax toothpick and place on one of the glue dots. Repeat for the other 4 Flat Backs.

STEP 4: Repeat steps 2 and 3 to glue on triangular Swarovski Flat Backs for eyes and nose.

STEP 5: Spread glue on back of the other Flat Back art. 2035 30 mm. Lay the flat bail on the back so the loop is above the top of the crystal. Lay the embellished Flat Backs art. 2035 from steps 2 – 4 on top of the Flat Backs art.

2035 with the glue. Let dry for the amount of time stated in the instructions on the glue package.

STEP 6: Clean any glue residue with a Q-tip dipped in acetone.

Open the 6 mm jump ring and attach it to the loop in the bail. Close the jump ring to secure. STEP 7:

STEP 8: Slide silk cord through the jump ring so the cord is even on both ends. Tie the cord to the desired length.



#### SWAROVSKI ELEMENTS

Product Group	Article No.	Amount	Size	Color	Color Code
Pendants	6621	2 pcs.	18 mm	Crystal Red Magma	001 REDM
Flat Backs No Hotfix (square)	2400	6 pcs.	3 mm	Jet	280
Flat Backs No Hotfix (round)	2028	10 pcs.	SS7	Jet	280

Supplies:

2 gun metal 6 mm jump rings

Beeswax

Acetone

2 gun metal 4 mm jump rings

Toothpicks

Q-tips

2 gun metal ear wires Two-part epoxy glue

(10 minute or longer curing time)

# Instructions

STEP 1: Mix 2 part epoxy glue as instructed on package.

STEP 2: Using a toothpick, place 5 small dots of mixed glue evenly spaced onto the bottom of Pendant from the

SWAROVSKI ELEMENTS assortment to form the mouth.

STEP 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up one of the Flat Backs art. 2028 ss7

using the tip of the beeswax toothpick and place onto one of the glue dots. Repeat this step for the other

4 Swarovski Flat Backs art. 2028.

STEP 4: Place 2 glue dots near top of Pendant for eyes and one in center for nose. Repeat step 3 using the Flat Backs

art. 2400.

STEP 5: Repeat steps 3 and 4 for the second earring.

STEP 6: Allow glue to dry for recommended time on glue package. Clean any glue residue with a Q-tip dipped in

acetone.



# "Jack-o-Lantern Earrings", page 2

- STEP 7: Open both of the 6 mm jump rings using flat nose pliers.
- STEP 8: Attach one 6 mm jump ring to the hole in the top of the Swarovski Pendant and then to the closed 4 mm jump ring. Close the 6 mm jump ring to secure.
- STEP 9: Open the 4 mm jump ring and attach to the ear wire.
- STEP 10: Repeat steps 7 8 for second earring.



#### SWAROVSKI ELEMENTS

Product Group	Article No.	Amount	Size	Color	Color Code
Pendants	6900	1 pc.	30 x 45 mm	Crystal	001
Flat Backs No Hotfix	2797	1 pc.	8 x 4 mm	Crystal F	001
Flat Backs No Hotfix (round	d) 2028	2 pcs.	SS14	Jet	280

Supplies: 24" White silk cord 2 silver cord ends 2 silver 4mm jump rings

Beeswax Toothpicks Two-part epoxy glue
Acetone Q-tips (10 minute or longer curing time)

1 Silver clasp

# Instructions

STEP 1: Mix 2 part epoxy glue as instructed on package.

STEP 2: Using a toothpick, place 1 small dot of mixed glue near bottom of Pendant from the SWAROSVKI ELEMENTS

assortment (see picture for correct way to lay Pendant).

STEP 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up the Flat Back art. 2797 using the tip

of the beeswax toothpick and place on the glue dot to make the mouth.

STEP 4: Apply two small dots of glue above the "mouth" and using the beeswax toothpick apply the two Swarovski Flat

Backs art. 2028 for the eyes.

STEP 5: Slide silk cord through hole in Pendant so the cord is even on both ends.

STEP 6: Make a loop with both cords near the hole of the pendant and slide the two free ends through it. Pull the ends

tight to form a knot.

STEP 7: Attach the cord ends to each free end using flat nose pliers.



# "Ghost Pendant Necklace", page 2

STEP 8: Open the two 4mm jump rings using pliers and attach one to each cord end.

STEP 9: Attach one part of the clasp to each end and close the jump rings.

STEP 10: Allow glue to dry for 24 hours. Clean any glue residue with a Q-tip dipped in acetone.



#### SWAROVSKI ELEMENTS

Product Group	Article No.	Amount	Size	Color	Color Code
Pendants	6900	2 pcs.	13.5 x 20 mm	Crystal	001
Flat Backs No Hotfix (round	1) 2028	4 pcs.	SS7	Jet	280

Supplies: 2 silver 8mm jump rings

Beeswax

Acetone

2 silver 4 mm jump rings

Toothpicks

Q-tips

2 silver ear wires Two-part epoxy glue

(10 minute or longer curing time)

## <u>Instructions</u>

STEP 1: Mix 2 part epoxy glue as instructed on package.

STEP 2: Using a toothpick, place 2 small dots of mixed glue near right center of one Pendant from the

SWAROVSKI ELEMENTS assortment and left center of the other (see picture for correct way to lay Pendant).

STEP 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up one Swarovski Flat Back art. 2028

using the tip of the beeswax toothpick and place on one of the glue dots.

Repeat with second Flat Back art. 2028.

STEP 4: Allow glue to dry for recommended time on glue package. Clean any glue residue with a Q-tip dipped

in acetone.

STEP 5: Open both of the 8 mm jump rings using flat nose pliers.

STEP 6: Attach one 8mm jump ring to the hole in the top of the Swarovski Pendant and then to the closed

4 mm jump ring. Close the 8 mm jump ring to secure.

STEP 7: Open the 4mm jump ring and attach to the ear wire.

STEP 8: Repeat steps 7-8 for second earring



#### SWAROVSKI ELEMENTS

Product Group	Article No.	Amount	Size	Color	Color Code
Pendants	6902	2 pcs.	16.5x25mm	Jet	280
Flat Backs No Hotfix (round	1) 2028	4 pcs.	SS10	Light Siam	227

Supplies: 2 gun metal 8 mm jump rings

Beeswax

Acetone

2 gun metal 4 mm jump rings

Toothpicks Q-tips 2 gun metal ear wires Two-part epoxy glue

(10 minute or longer curing time)

# Instructions

STEP 1: Mix 2 part epoxy glue as instructed on package.

STEP 2: Using a toothpick, place 2 small dots of mixed glue near center of Pendant from the SWAROSVKI ELEMENTS

assortment (see picture for correct way to lay Pendant.)

STEP 3: Apply a small amount of beeswax to the end of a clean toothpick. Pick up one Swarovski Flat Back art. 2028

using the tip of the beeswax toothpick and place on one of the glue dots.

Repeat with second Flat Back art. 2028.

STEP 4: Allow glue to dry for recommended time on glue package. Clean any glue residue with a Q-tip dipped in

acetone.

STEP 5: Open both of the 8mm jump rings using flat nose pliers.

STEP 6: Attach one 8 mm jump ring to the hole in the top of the Swarovski Pendant and then to the closed 4 mm jump

ring. Close the 8 mm jump ring to secure.

STEP 7: Open the 4mm jump ring and attach to the ear wire.

STEP 8: Repeat steps 7 – 8 for second earring.



# SWAROVSKI ELEMENTS

Product Group	Article No.	Amount	Size	Color	Color Code
Beads	5540	2 pcs.	17 mm	Crystal Copper (001 COP)	
Beads	5328	36 pcs.	2.5 mm	A variety of the following colors: Olivine (228),	
				Crystal Red Magma (001 REDM), Crystal Golden	
				Shadow (001 GSHA), Crystal Copper (001 COP),	
				Topaz (203), Smoked Topaz (22	.0),
				Crystal Metallic Light Gold 2x (001 MLG2)	
Beads	5328	36 pcs.	3 mm	A variety of the same colors as a	ibove.
Beads	5000	36 pcs.	3 mm	A variety of the same colors as a	bove.
Beads	5040	18 pcs.	4 mm	Crystal Red Magma (001 REDM	)
Crystal Pearls	5810	54 pcs.	3 mm	Crystal Copper (001 159), Cryst	cal Bright Gold
				(001 306), Crystal Dark Green (	(001 814),
				Crystal Maroon (001 388),	
				Crystal Bright Gold (001 306)	
Crystal Pearls	5810	36 pcs.	5 mm	A variety of the same colors use	d above
Pendants	6007	18 pcs.	7 x 4 mm	Crystal Copper (001 COP) or To	paz (203)

Supplies:

6 gun metal jump rings 6 mm 6" gun metal chain 6" 24 gauge wire

2 gun metal ear wires 28 gauge craft wire 1 spool



# "Cornucopia Earrings", page 2

- STEP 1: Make all wire components prior to assembly (12 for each side) using whatever combination of Beads and Pearls from the SWAROVSKI ELEMENTS assortment you would like.
- STEP 2: Cut a 5" piece of 28 gauge wire. Bend it in a U shape, keeping one end longer than the other. String 12 Swarovski Beads and Crystal Pearls onto the wire (use a variety of colors and sizes of the XILION Beads art. 5328 2.5 mm & 3 mm, round Beads 3 mm, Crystal Pearls 3 mm and 5 mm and use 1 Swarovski Pendant art. 6007 in the middle of the strand).
- STEP 3: Cross the short wire end over the long end and twist the wires together. Snip off the short wire end (keep the long wire end intact).
- STEP 4: Repeat steps 2 & 3 seventeen more times to make 18 beaded wires (9 for each earring).
- STEP 5: Cut a 6" piece of 28 gauge wire and string on one Swarovski Bead art. 5040 4 mm. Keeping the Bead in the middle of the wire, twist the two ends together 3-4 times.
- STEP 6: String one more Swarovski Bead art. 5040 4 mm onto one wire end leaving about 10mm of wire between this Bead and the one from the previous step. Coil the 10 mm of wire between the two Beads so the wire is a spiral between the two Beads.
- STEP 7: String another Swarovski Bead art. 5040 4 mm onto the other wire end, again leaving 10 mm of wire between the two Beads. Coil the wire between the Beads as done in step 6.
- STEP 8: Twist the two tail ends of the wire together 3-4 times. Cut off the short end and leave the long wire end.
- STEP 9: Repeat steps 5-8 five more times (you will have 3 strands for each earring).
- STEP 10: Cut the chain into 4 equal lengths. Open the 4 jump rings and attach one piece of chain to each. Close the jump rings securely.
- STEP 11: Pick up 9 beaded wires from steps 1-3 and 3 beaded wires from steps 5-8. Holding the wires together, slide them through one of the jump rings with the attached chain.
- STEP 12: Slide the wires through the Swarovski Bead art. 5540 going in the wide end and coming out the narrow end. Slide a jump ring with attached wire onto the twelve wire ends.
- STEP 13: Cut a 2" piece of 24 gauge wire. Hold the 2" piece of wire along the length of the Swarovski Bead art. 5540. At the point where the 24 gauge wire meets the twelve 28 gauge wires begin to wrap a coil around the 28 gauge wires (after the jump ring) with the 24 gauge wire. Wrap it 3-4 times, keeping them tight.
- STEP 14: When the 28 gauge wires are held tight, cut off the ends of the 24 gauge wire. Tuck in any loose ends and then cut off the excess 28 gauge wires.
- STEP 15: Open a jump ring and attach the two chain ends and the ear wire to the jump ring. Close the jump ring to secure. You can cut the chain to make a shorter earring if desired.
- STEP 16: Repeat steps 11 15 for the other earring.